Vol. 180 No. 1/2

GENE

AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

21 November 1996

CONTENTS

Neeper, M.P., Hofmann, K.J. and Jansen, K.U. 1–6
Expression of the major capsid protein of human papillomavirus type 11 in *Saccharomyces cerevisae*

Krebber, H. and Ponstingl, H. 7–11
Ubiquitous expression and testis-specific alternative polyadenylation of mRNA for the human Ran GTPase activator RanGAP1

Sánchez-Beato, A.R. and García, J.L. 13–21
Molecular characterization of a family of choline-binding proteins of *Clostridium beijerinckii* NCIB 8052. Evolution and gene redundancy in prokaryotic cell

Reecy, J.M., Bidwell, C.A., Briley, G.P. and Grant, A.L. 23–28
Structure and regulation of the porcine skeletal α-actin-encoding gene

Luo, C., Copeland, N.G., Jenkins, N.A., Edelhoff, S., Disteche, C., Hogan, P.G. and Rao, A. 29–36
Normal function of the transcription factor NFAT1 in *wasted* mice. Chromosome localization of NFAT1 gene

Miranda, R., Salgado, L.M., Sánchez-López, R., Alagón, A. and Lizardi, P.M. 37–42
Identification and analysis of the *u6 small nuclear RNA* gene from *Entamoeba histolytica*

Vázquez, M.P., Beldjord, C., Lorenzi, H., Bienvenu, T. and Levín, M.J. 43–48
Detection of polymorphism in the *Trypanosoma cruzi* TcP2β gene family by single strand conformational analysis (SSCA)

Watson, A.A., Alm, R.A. and Mattick, J.S. 49–56
Identification of a gene, *pilF*, required for type 4 fimbrial biogenesis and twitching motility in *Pseudomonas aeruginosa*

Guérout-Fleury, A.-M., Frandsen, N. and Stragier, P. 57–61
Plasmids for ectopic integration in *Bacillus subtilis*

Sakurai, H., Miyao, T. and Ishihama, A. 63–67
Subunit composition of RNA polymerase II from the fission yeast *Schizosaccharomyces pombe*

Oka, K., Ishimura-Oka, K., Chu, M.-j. and Chan, L. 69–80
Transcription of the human hepatic lipase gene is modulated by multiple negative elements in HepG2 cells

Fischer, J., Maier, H., Viell, P. and Altenbuchner, J. 81–89
The use of an improved transposon mutagenesis system for DNA sequencing leads to the characterization of a new insertion sequence of *Streptomyces lividans* 66

Westrop, G.D., Hormozi, E.K., Da Costa, N.A., Parton, R. and Coote, J.G. 91–99
Bordetella pertussis adenylate cyclase toxin: proCyaA and CyaC proteins synthesised separately in *Escherichia coli* produce active toxin in vitro

Villaverde, A., Feliu, J.X., Harbottle, R.P., Benito, A. and Coutelle, C. 101–106
A recombinant, arginine-glycine-aspartic acid (RGD) motif from foot-and-mouth disease virus binds mammalian cells through vitronectin and, to a lower extent, fibronectin receptors

Guthrie, E.P., Quinton-Jager, T., Moran, L.S., Slatko, B.E., Kucera, R.B., Benner, J.S., Wilson, G.G. and Brooks, J.E. 107–112
Cloning, expression and sequence analysis of the *Sph*I restriction-modification system

Kwon, T.K., Nagel, J.E., Buchholz, M.A. and Nordin, A.A. 113–120
Characterization of the murine cyclin-dependent kinase inhibitor gene *p27^{Kip1}*

Yang, Y., Lijam, N., Sussman, D.J. and Tsang, M. 121–123
Genomic organization of mouse *Dishevelled* genes

Rich, T., Chen, P., Furman, F., Huynh, N. and Israel, M.A. 125–130
RTVP-1, a novel human gene with sequence similarity to genes of diverse species, is expressed in tumor cell lines of glial but not neuronal origin

Hackshaw, K.V., Furlow, Z.M. and Chiu, I.-M. 131–135
Cloning and characterization of a novel upstream untranslated exon of the mouse *Fgf*-1 gene

Ajdić, D., Sutcliffe, I.C., Russell, R.R.B. and Ferretti, J.J. 137–144
Organization and nucleotide sequence of the *Streptococcus mutans* galactose operon

Monaco, L., Tagliabue, R., Giovanazzi, S., Bragonzi, A. and Soria, M.R. 145–150
Expression of recombinant human granulocyte colony-stimulating factor in CHO dhfr$^-$ cells: new insights into the in vitro amplification expression system

Nestel, F.P., Colwill, K., Harper, S., Pawson, T. and Anderson, S.K. 151–155
RS cyclophilins: Identification of an NK-TR$_1$-related cyclophilin

Hamajima, N., Matsuda, K., Sakata, S., Tamaki, N., Sasaki, M. and Nonaka, M. 157–163
A novel gene family defined by human dihydropyrimidinase and three related proteins with differential tissue distribution

Maitra, S., Dombrowski, S.M., Waters, L.C. and Ganguly, R. 165–171
Three second chromosome-linked clustered *Cyp6* genes show differential constitutive and barbital-induced expression in DDT-resistant and susceptible strains of *Drosophila melanogaster*

(*continued on inside back cover*)

0378-1119(1996)180:1-2;1-T

Kindly note that the scope of the journal has recently changed. Several articles in this issue were under consideration before this change was initiated.

For insight into the present scope, potential authors of Gene articles are referred to the description published at the front of this issue, as well as to the Editorial and contents of issue 174/1. All information about Gene, including tables of contents, can also be found at:

http://www.elsevier.nl/locate/gene or http://www.elsevier.com/locate/gene

Gandecha, A.R. and Cundliffe, E. 173–176
Molecular analysis of *tlrD*, an MLS resistance determinant from the tylosin producer, *Streptomyces fradiae*

Alborn, W.E., Jr., Hoskins, J.A., Ünal, S., Flokowitsch, J.E., Hayes, C.A., Dotzlaf, J.E., Yeh, W.K. and Skatrud, P.L. 177–181
Cloning and characterization of *femA* and *femB* from *Staphylococcus epidermidis*

Aoshima, M., Nishibe, Y., Hasegawa, M., Yamagishi, A. and Oshima, T. 183–187
Cloning and sequencing of a gene encoding 16S ribosomal RNA from a novel hyperthermophilic archaebacterium NC12

Boucher, H., Mercure, S., Montplaisir, S. and Lemay, G. 189–196
A novel group I intron in *Candida dubliniensis* is homologous to a *Candida albicans* intron

Lazard, M., Agou, F., Cavarelli, J., Latreille, M.-T., Moras, D. and Mirande, M. 197–205
Genomic organization of the rat aspartyl-tRNA synthetase gene family: a single active gene and several retropseudogenes

Azakami, H., Yumoto, H., Nakae, H., Matsuo, T. and Ebisu, S. 207–212
Molecular analysis of the gene encoding a protein component of the *Eikenella corrodens* adhesin complex that is close to the carbohydrate recognition domain

Short Communications

Soloff, E.V., Herzog, C.R. and You, M. 213–215
The 5′-flanking region of the E1 α form of the murine $p16^{INK4a}$ (MTS1) gene

Chen, W., Yap, S.F. and Lim, L. 217–219
Isolation of the gene coding for *Caenorhabditis elegans* Rac2 homologue, a Ras-related small GTP-binding protein

Aliyeva, E., Metz, A.M. and Browning, K.S. ... 221–223
Sequences of two expressed sequence tags (EST) from rice encoding different cap-binding proteins

Snaith, M.R., Kilby, N.J. and Murray, J.A.H. .. 225–227
An *Escherichia coli* system for assay of Flp site-specific recombination on substrate plasmids

Author Index Vol. 180 (1996) 229–231